

ELITE

JUSTO

SUPREME  
ACCURACY  
AUTO  
CALIBRATION  
SIDE-TO-SIDE  
MOVEMENT

ELITE'S BEST  
JUST (0)  
GOT BETTER

2023

# INTERACTIVE TRAINERS - DIRECT DRIVE

# JUSTO

0211001

NEW

## WIRELESS COMMUNICATION



Communicates with all apps and devices via ANT+™ and Bluetooth®

## BUILT-IN POWER METER

±1%

ACCURACY

## MAX SLOPE



Simulates up to 24% gradients

## AUTOMATIC CALIBRATION

New self-calibration function that automatically performs calibration without manual intervention by the user

## SENSORLESS TECHNOLOGY

Real-time transmission of cadence, speed and power data

## ADAPTERS INCLUDED FOR

QR 5x130-5x135 mm  
Thru-axle 12x142 mm

## ALSO AVAILABLE\* FOR

Thru-axle 10x135-12x135 mm  
Specialized SCS 12x135 mm  
Boost 12x148 mm  
Super Boost 12x157 mm  
*\*available on [www.shopelite-it.com](http://www.shopelite-it.com)*

## CASSETTE COMPATIBILITY (freehub included)

Shimano®/SRAM 9/10/11 speed  
Shimano® 12 speed road  
SRAM SX 12 speed  
SRAM NX 12 speed

## OTHER FREEHUBS\*

Shimano® Micro Spline  
Campagnolo  
SRAM XD/XDR  
*\*available on [www.shopelite-it.com](http://www.shopelite-it.com)*

## FLEX FEET

Included with different stiffness: rigid and medium. Improve the effectiveness of your workouts and improve feeling by replicating the side-to-side movement experienced while riding outdoors

## OPEN SIZE

(L x W x H)

570 x 720 x 520 mm / 22,44" x 28,35" x 20,47"

## CLOSED

(L x W x H)

570 x 195 x 520 mm / 22,44" x 7,682" x 20,47"

## APP INCLUDED




12 MONTHS

## COMPATIBLE APPS



## WEIGHT

17 kg / 37,48 lbs



# INTERACTIVE TRAINERS - DIRECT DRIVE

## DIRETO XR-T

0171013

### WIRELESS COMMUNICATION



Communicates with all apps and devices via ANT+™ and Bluetooth®

### BUILT-IN POWER METER



ACCURACY

### MAX SLOPE



Simulates up to 24% gradients

### APP INCLUDED



12 MONTHS

### COMPATIBLE APPS



### SENSORLESS TECHNOLOGY

Real-time transmission of cadence, speed and power data

### ADAPTERS INCLUDED FOR

QR 5x130-5x135 mm  
Thru-axle 12x142 mm

### ALSO AVAILABLE\* FOR

Thru-axle 10x135-12x135 mm  
Specialized SCS 12x135 mm  
Boost 12x148 mm  
Super Boost 12x157 mm

*\*available on [www.shopelite-it.com](http://www.shopelite-it.com)*

### CASSETTE COMPATIBILITY


(freehub included)

Shimano®/SRAM 9/10/11 speed  
Shimano® 12 speed road  
SRAM SX 12 speed  
SRAM NX 12 speed

### OTHER FREEHUBS\*

Shimano® Micro Spline  
Campagnolo  
SRAM XD/XDR

*\*available on [www.shopelite-it.com](http://www.shopelite-it.com)*



### OPEN SIZE

(L x W x H)

650 x 830 x 560 mm / 25,60" x 32,70" x 22,04"

### CLOSED

(L x W x H)

650 x 300 x 560 mm / 25,60" x 11,82" x 22,04"

### WEIGHT

15 Kg / 33,07 lbs

# INTERACTIVE TRAINERS - DIRECT DRIVE

## SUITO-T

0191004

### WIRELESS COMMUNICATION



Communicates with all apps and devices via ANT+™ and Bluetooth®

±2,5%

### ACCURACY

### MAX SLOPE

15%

Simulates up to 15% gradients

### APP INCLUDED



### 12 MONTHS

### COMPATIBLE APPS



### SENSORLESS TECHNOLOGY

Real-time transmission of cadence, speed and power data

### ADAPTERS INCLUDED FOR

QR 5x130-5x135 mm  
Thru-axle 12x142 mm

### ALSO AVAILABLE\* FOR

Thru-axle 10x135-12x135 mm  
Specialized SCS 12x135 mm  
Boost 12x148 mm  
Super Boost 12x157 mm  
*\*available on [www.shopelite-it.com](http://www.shopelite-it.com)*

### CASSETTE COMPATIBILITY (freehub included)

Shimano®/SRAM 9/10/11 speed  
Shimano® 12 speed road  
SRAM SX 12 speed  
SRAM NX 12 speed

### OTHER FREEHUBS\*

Shimano® Micro Spline  
Campagnolo  
SRAM XD/XDR  
*\*available on [www.shopelite-it.com](http://www.shopelite-it.com)*



### OPEN SIZE

(L x W x H)  
560 x 560 x 495 mm / 22,04" x 22,04" x 19,50"

### CLOSED

(L x W x H)  
560 x 150 x 495 mm / 22,04" x 5,90" x 19,50"

### WEIGHT

14,5 Kg / 31,97 lbs

# INTERACTIVE TRAINERS - WHEEL ON

## TUO

0192003

### WIRELESS COMMUNICATION



Communicates with all apps and devices via ANT+™ and Bluetooth®

±5%  
ACCURACY

### MAX SLOPE



Simulates up to 10% gradients

### APP INCLUDED



12 MONTHS

### COMPATIBLE APPS



**SENSORLESS TECHNOLOGY**  
Real-time transmission of cadence, speed and power data

**WORKS WITH**  
All bikes with wheels 26" and 29"

### ADAPTERS INCLUDED FOR

QR 5x130-5x135 mm  
Thru-axle 12x142 mm  
Thru-axle 10x135-12x135 mm  
Specialized SCS 12x135 mm  
Boost\*\* 12x148 mm  
\*\*max width 188 mm

### CASSETTE COMPATIBILITY (freehub included)

Shimano®/SRAM 9/10/11 speed  
Shimano® 12 speed road  
SRAM SX 12 speed  
SRAM NX 12 speed



### SLEEK DESIGN

Beechwood legs and metal frame

### OPEN SIZE

(L x W x H)

680 x 690 x 410 mm / 22,80" x 27,16" x 16,14"

### CLOSED

(L x W x H)

430 x 315 x 560 mm / 17,00" x 12,40" x 22,04"

### WEIGHT

10,3 kg / 22,70 lbs

# SMART TRAINERS - DIRECT DRIVE

# TURNO

0172001

## WIRELESS COMMUNICATION



Communicates with all apps and devices via ANT+™ and Bluetooth®



## FLUID TECHNOLOGY

Progressive resistance that increases with speed

## ADAPTERS INCLUDED FOR

QR 5x130-5x135 mm  
Thru-axle 12x142 mm

## ALSO AVAILABLE\* FOR

Thru-axle 10x135-12x135 mm  
Specialized SCS 12x135 mm  
Boost 12x148 mm  
Super Boost 12x157 mm

\*available on [www.shopelite-it.com](http://www.shopelite-it.com)

## CASSETTE COMPATIBILITY (freehub included)

Shimano®/SRAM 9/10/11 speed  
Shimano® 12 speed road  
SRAM SX 12 speed  
SRAM NX 12 speed

## OTHER FREEHUBS\*

Shimano® Micro Spline  
Campagnolo  
SRAM XD/XDR

\*available on [www.shopelite-it.com](http://www.shopelite-it.com)

## APP INCLUDED



12 MONTHS

## COMPATIBLE APPS



## OPEN SIZE

(L x W x H)

560 x 660 x 520 mm / 22,04" x 26,00" x 20,47"

## CLOSED

(L x W x H)

700 x 380 x 300 mm / 27,56" x 14,50" x 11,82"

## WEIGHT

17 kg / 37,48 lbs

SMART TRAINERS - WHEEL ON

# QUBO POWER MAG SMART B+

0121001

## WIRELESS COMMUNICATION



Communicates with all apps and devices via ANT+™ and Bluetooth®



## ELASTOGEL ROLLER

Improved tyre grip, reduced wear

## COMPATIBLE WITH

Works with all wheels with diameters between 20" and 29"

## ADAPTERS INCLUDED FOR

QR 5x130-5x135 mm

## ALSO AVAILABLE\* FOR

Thru-axle 12x142 mm

Thru-axle 10x135-12x135 mm

Specialized SCS 12x135 mm

Boost 12x148 mm

\*available on [www.shopelite-it.com](http://www.shopelite-it.com)

## OTHER FREEHUBS\*

Shimano® 12 speed road

SRAM SX 12 speed

SRAM NX 12 speed

Shimano® Micro Spline

Campagnolo

SRAM XD/XDR

\*available on [www.shopelite-it.com](http://www.shopelite-it.com)

## APP INCLUDED



12 MONTHS

## COMPATIBLE APPS



## OPEN SIZE

(L x W x H)

590 x 570 x 450 mm / 23.22" x 22.44" x 17.72"

## CLOSED

(L x W x H)

550 x 570 x 300 mm / 21.65" x 22.44" x 11.82"

## WEIGHT

8.7 kg / 19.18 lbs

# CLASSIC TRAINERS - WHEEL ON

## QUBO FLUID

0121026



### FLUID TECHNOLOGY

Progressive resistance that increases with speed

### ELASTOGEL ROLLER

Improved tyre grip, reduced wear

### COMPATIBLE WITH

Works with all wheels with diameters between 20" and 29"

### ADAPTERS INCLUDED FOR

QR 5x130-5x135 mm

### ALSO AVAILABLE\* FOR

Thru-axle 12x142 mm

Thru-axle 10x135-12x135 mm

Specialized SCS 12x135 mm

Boost 12x148 mm

\*available on [www.shopelite-it.com](http://www.shopelite-it.com)

### OTHER FREEHUBS\*

Shimano® 12 speed road

SRAM SX 12 speed

SRAM NX 12 speed

Shimano® Micro Spline

Campagnolo

SRAM XD/XDR

\*available on [www.shopelite-it.com](http://www.shopelite-it.com)

### APP INCLUDED



1 MONTH

### COMPATIBLE APPS



### OPEN SIZE

(L x W x H)

590 x 570 x 450 mm / 23,33" x 22,44" x 17,71"

### CLOSED

(L x W x H)

550 x 570 x 300 mm / 21,65" x 22,44" x 11,82"

### WEIGHT

9,6 kg / 21,16 lbs



# CLASSIC TRAINERS - WHEEL ON

## NOVO FORCE

0121006

### MAGNETIC RESISTANCE

8 resistance levels



### COMPATIBLE WITH

Works with all wheels with diameters between 24" and 29"

### ADAPTERS INCLUDED FOR

QR 5x130-5x135 mm

### ALSO AVAILABLE\* FOR

Thru-axle 12x142 mm

Thru-axle 10x135-12x135 mm

Specialized SCS 12x135 mm

Boost 12x148 mm

\*available on [www.shopelite-it.com](http://www.shopelite-it.com)

### OTHER FREEHUBS\*

Shimano® 12 speed road

SRAM SX 12 speed

SRAM NX 12 speed

Shimano® Micro Spline

Campagnolo

SRAM XD/XDR

\*available on [www.shopelite-it.com](http://www.shopelite-it.com)

### APP INCLUDED



1 MONTH

COMPATIBLE APPS



### OPEN SIZE

(L x W x H)

570 x 700 x 410 mm / 22,44" x 5,90" x 19,68"

### CLOSED

(L x W x H)

570 x 320 x 500 mm / 22,44" x 12,60" x 19,68"

### WEIGHT

8 kg / 17,64 lbs

# INTERACTIVE ROLLER

# NERO

0182001

## WIRELESS COMMUNICATION



Communicates with all apps and devices via ANT+™ and Bluetooth®

## SENSORLESS TECHNOLOGY

Real-time transmission of cadence, speed and power data


## INTEGRATED STEP

## TWO FLYWHEELS

Increased pedalling roundness

## PARABOLIC DRUMS

Help center the bike and increase confidence



## ADJUSTABLE WHEELBASE

From 944 mm to 1144 mm

## FLOATING SYSTEM

Helps with fore-and-aft movement to absorb abrupt changes of speed

## MAX SLOPE



Simulates up to 7% gradients

## APP INCLUDED



12 MONTHS

## COMPATIBLE APPS



## OPEN SIZE

(L x W x H)

630 x 1400 x 204 mm / 24,80" x 55,11" x 8,03"

## CLOSED

(L x W x H)

630 x 470 x 304 mm / 24,80" x 18,50" x 11,97"

## WEIGHT

18 Kg / 39,68 lbs


# CLASSIC ROLLER

# QUICK MOTION

0162001

## MAGNETIC RESISTANCE

3 resistance levels



## PARABOLIC DRUMS

Help center the bike and increase confidence

## ADJUSTABLE WHEELBASE

From 944 mm to 1144 mm

## APP INCLUDED



1 MONTH

## COMPATIBLE APPS



## OPEN SIZE

(L x W x H)

520 x 1400 x 160 mm / 24,80" x 55,11" x 8,03"

## CLOSED

(L x W x H)

520 x 450 x 300 mm / 24,80" x 18,50" x 11,97"

## WEIGHT

11,5 kg / 25,35 lbs

# CLASSIC ROLLER


# ARION MAG

0100550

**MAGNETIC RESISTANCE**  
3 levels of resistance

**LIGHTWEIGHT DESIGN**  
Portable and easy to carry with you

**PARABOLIC DRUMS**  
Help center the bike and increase confidence



**ADJUSTABLE WHEELBASE**  
From 944 mm to 1124 mm

**APP INCLUDED**



**1 MONTH**

**COMPATIBLE APPS**



**OPEN SIZE**  
(L x W x H)

500 x 1400 x 130 mm / 20,47" x 55,11" x 6,30"

**CLOSED**

(L x W x H)

530 x 730 x 250 mm / 20,47" x 17,22" x 11,82"

**WEIGHT**

7,8 kg / 17,20 lbs

# CLASSIC ROLLER ARION

0100501



## LIGHTWEIGHT DESIGN

Portable and easy to carry it with you

## PARABOLIC DRUMS

Help center the bike and increase confidence

## ADJUSTABLE WHEELBASE

From 944 mm to 1124 mm

## APP INCLUDED



1 MONTH

## COMPATIBLE APPS



## OPEN SIZE

(L x W x H)

500 x 1400 x 130 mm / 20,47" x 55,11" x 6,30"

## CLOSED

(L x W x H)

530 x 730 x 250 mm / 20,47" x 17,22" x 11,82"

## WEIGHT

7,8 kg / 17,20 lbs

	JUSTO	DIRETO XR-T	SUITO-T	TUO	TURNO	QUBO POWER MAG SMART B+	QUBO FLUID	NOVO FORCE	NERO	QUICK MOTION	ARION MAG	ARION
Electronically managed magnetic resistance	✓	✓	✓	✓					✓			
Magnetic resistance						✓		✓		✓	✓	
Fluid resistance					✓		✓					
Resistance adjusted directly on roller resistance unit										✓	✓	
Resistance adjusted by command lever						✓		✓				
Resistance levels						8		8		3	3	
Elastogeter roller				30 mm		30 mm	45 mm	30 mm				
Antistatic polypropylene parabolic roller									✓	✓	✓	✓
Direct transmission	✓	✓	✓		✓							
Integrated power meter	✓	✓										
Compatible with Misuro B+ sensor					Included		✓	✓		✓	✓	✓
Sensorless cadence	✓	✓	✓	✓	✓	✓			✓			
Flywheel moment of inertia (Kgmm <sup>2</sup> )	19930	19930	12885	6200	19000	3680	3090	2790	13200	4261	4245	1300
Power supply required	✓	✓	✓	✓					✓			
Quick release Ø 5mm	✓	✓	✓	✓	✓	✓	✓	✓				
Compatibility with thru-axle adapter 142x12 mm	✓	✓	✓	✓	✓	1020008	1020008	1020008	1020008			
10x135 - 12x135 Adapter	1014306	1014306	1014306	✓	1014043	1020008	1020008	1020008	1020008			
12x142 Adapter	✓	✓	✓	✓	✓	1020008	1020008	1020008	1020008			
12x148 Adapter	1014303	1014303	1014303	✓	1014303	1020008	1020008	1020008	1020008			
12x157 Adapter	1014346	1014346	1014346		1014346							
Campagnolo 9/10/11 speed compatible freehub	1014233	1014233	1014233		1014233							
SRAM XD/XDR 12 speed compatible freehub	1014279	1014279	1014279		1014279							
Microspline Shimano MTB 12 speed compatible freehub	1014315	1014315	1014315		1014315							
Compatibility with Rizer	✓	✓	✓	✓								



elite-it.com

